

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Revision Date 05/22/2019

Version 1.4

#### **SECTION 1.Identification**

#### **Product identifier**

Product number MX0486

Product name Methanol LC-MS Grade For Liquid Chromatography-

<br/>
<br/>
Mass Spectrometry OmniSolv®

Synonyms MeOH CAS-No. 67-56-1

# Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis

## Details of the supplier of the safety data sheet

Company EMD Millipore Corporation | 400 Summit Drive | Burlington |

Massachusetts 01803 | United States of America | General Inquiries: +1 800-645-5476 | Monday to Friday, 9:00 AM to

4:00 PM Eastern Time (GMT-5)

MilliporeSigma is a business of Merck KGaA, Darmstadt,

Germany.

**Emergency telephone** 800-424-9300 CHEMTREC (USA)

+1-703-527-3887 CHEMTREC (International)

24 Hours/day; 7 Days/week

#### **SECTION 2. Hazards identification**

#### **GHS Classification**

Flammable liquid, Category 2, H225

Acute toxicity, Category 3, Oral, H301

Acute toxicity, Category 3, Inhalation, H331

Acute toxicity, Category 3, Dermal, H311

Specific target organ systemic toxicity - single exposure, Category 1, Eyes, H370

For the full text of the H-Statements mentioned in this Section, see Section 16.

## **GHS-Labeling**

Millipore SiGMa

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number MX0486 Version 1.4

Product name Methanol LC-MS Grade For Liquid Chromatography-<br/>br/>Mass Spectrometry

OmniSolv®

#### Hazard pictograms







# Signal Word Danger

#### Hazard Statements

H225 Highly flammable liquid and vapor.

H301 + H311 + H331 Toxic if swallowed, in contact with skin or if inhaled.

H370 Causes damage to organs (Eyes).

# Precautionary Statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all

contaminated clothing. Rinse skin with water/ shower.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P322 Specific measures (see supplemental first aid instructions on this label).

P330 Rinse mouth.

P361 Remove/Take off immediately all contaminated clothing.

P363 Wash contaminated clothing before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal plant.

#### Other hazards

Millipore SigMa

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number MX0486 Version 1.4

Product name Methanol LC-MS Grade For Liquid Chromatography-<br/>br/>Mass Spectrometry

OmniSolv®

None known.

## SECTION 3. Composition/information on ingredients

Formula CH<sub>3</sub>OH CH<sub>4</sub>O (Hill)

Synonyms MeOH

Molar mass 32.04 g/mol

## **Hazardous ingredients**

Chemical name (Concentration)

CAS-No.

methanol (>= 90 % - <= 100 %)

67-56-1

Exact percentages are being withheld as a trade secret.

#### **SECTION 4. First aid measures**

## **Description of first-aid measures**

General advice

First aider needs to protect himself.

Inhalation

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

Skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

Eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

Ingestion

After swallowing: fresh air. Make victim drink ethanol (e.g. 1 drinking glass of a 40% alcoholic beverage). Call a doctor immediately (mention methanol ingestion). Only in exceptional cases, if no medical care is available within one hour, induce vomiting (only in fully conscious persons) and make victim drink ethanol again (approx. 0.3 ml of a 40% alcoholic beverage/kg body weight/hour). Do not attempt to neutralize.

Never give anything by mouth to an unconscious person.

## Most important symptoms and effects, both acute and delayed

Millipore SigMa

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number MX0486 Version 1.4

Product name Methanol LC-MS Grade For Liquid Chromatography-<br/>br/>Mass Spectrometry

OmniSolv®

irritant effects, Drowsiness, Dizziness, narcosis, agitation, spasms, inebriation, Nausea, Vomiting, Headache, blindness, Impairment of vision, Coma Drying-out effect resulting in rough and chapped skin.

## Indication of any immediate medical attention and special treatment needed

No information available.

## **SECTION 5. Fire-fighting measures**

#### Extinguishing media

Suitable extinguishing media

Foam, Carbon dioxide (CO2), Dry powder, Water

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

# Special hazards arising from the substance or mixture

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air at ambient temperatures.

Pay attention to flashback.

Development of hazardous combustion gases or vapors possible in the event of fire.

#### **Advice for firefighters**

Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

## **SECTION 6. Accidental release measures**

## Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

#### **Environmental precautions**

Millipore

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number MX0486 Version 1.4

Product name Methanol LC-MS Grade For Liquid Chromatography-<br/>br/>Mass Spectrometry

OmniSolv®

Do not let product enter drains. Risk of explosion.

# Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

## **SECTION 7. Handling and storage**

#### **Precautions for safe handling**

Work under hood. Do not inhale substance/mixture. Avoid generation of vapors/aerosols.

Observe label precautions.

Advice on protection against fire and explosion Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons.

Store at room temperature.



according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number MX0486 Version 1.4

Product name Methanol LC-MS Grade For Liquid Chromatography-<br/>br/>Mass Spectrometry

OmniSolv®

# SECTION 8. Exposure controls/personal protection

## **Exposure limit(s)**

Components

Basis Value Threshold Remarks

limits

methanol 67-56-1

ACGIH Time Weighted 200 ppm

Average (TWA): Short Term Exposure

hort Term Exposure 250 ppm

Limit (STEL): Skin designation:

kin designation: Can be absorbed through the skin.

NIOSH/GUIDE Recommended 200 ppm

exposure limit (REL): 260 mg/m<sup>3</sup>

Skin designation: Can be absorbed through the skin.

Short Term Exposure 250 ppm Limit (STEL): 325 mg/m³

OSHA\_TRANS PEL: 200 ppm

260 mg/m<sup>3</sup>

Z1A Time Weighted 200 ppm

Average (TWA): 260 mg/m<sup>3</sup>

Skin designation (Final Rule Limit

applies):

Short Term Exposure 250 ppm Limit (STEL): 325 mg/m<sup>3</sup>

Can be absorbed through the skin.

#### **Engineering measures**

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

# **Individual protection measures**

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

#### Hygiene measures

Immediately change contaminated clothing. Apply skin- protective barrier cream. Wash hands and face after working with substance.

Eye/face protection Safety glasses

> Millipore SigMa

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number MX0486 Version 1.4

Product name Methanol LC-MS Grade For Liquid Chromatography-<br/>br/>Mass Spectrometry

OmniSolv®

Hand protection

full contact:

Glove material: butyl-rubber
Glove thickness: 0.7 mm
Break through time: > 480 min

splash contact:

Glove material: Viton (R)
Glove thickness: 0.70 mm
Break through time: > 120 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 898 Butoject® (full contact), KCL 890 Vitoject® (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet and supplied by us as well as to the purpose specified by us. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment:

Flame retardant antistatic protective clothing.

Respiratory protection

required when vapors/aerosols are generated. Recommended Filter type: Filter AX (EN 371)

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are performed according to the instructions of the producer.

These measures have to be properly documented.

#### **SECTION 9. Physical and chemical properties**

Physical state liquid

Color colorless

Odor characteristic

pungent

Odor Threshold 10 - 20000 ppm



according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number MX0486 Version 1.4

Product name Methanol LC-MS Grade For Liquid Chromatography-<br/>br/>Mass Spectrometry

OmniSolv®

pH No information available.

Melting point -144 °F (-98 °C)

Boiling point/boiling range 148.1 °F (64.5 °C)

at 1,013 hPa

Flash point 49.5 °F (9.7 °C)

Method: Tested according to Directive 92/69/EEC.

Evaporation rate 6.3

Reference substance: Diethyl ether

1.9

Reference substance: n-butyl acetate

Flammability (solid, gas) No information available.

Lower explosion limit 5.5 %(V)

Upper explosion limit 44 %(V)

Vapor pressure 128 hPa

at 68 °F (20 °C)

Relative vapor density 1.11

Density 0.792 g/cm3

at 68 °F (20 °C)

Relative density No information available.

Water solubility completely miscible

Partition coefficient: n-

octanol/water (experin

log Pow: -0.77 (experimental)

(Lit.) Bioaccumulation is not expected.

Autoignition temperature No information available.

Decomposition temperature Distillable in an undecomposed state at normal

pressure.



according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number MX0486 Version 1.4

Product name Methanol LC-MS Grade For Liquid Chromatography-<br/>br/>Mass Spectrometry

OmniSolv®

Viscosity, dynamic 0.597 mPa.s

at 68 °F (20 °C)

Explosive properties Not classified as explosive.

Oxidizing properties none

Ignition temperature 788 °F (420 °C)

at1,013 hPa

Method: DIN 51794

Minimum ignition energy 0.14 mJ

Conductivity  $< 1 \mu S/cm$ 

## **SECTION 10. Stability and reactivity**

## Reactivity

Vapors may form explosive mixture with air.

#### **Chemical stability**

The product is chemically stable under standard ambient conditions (room temperature) .

## Possibility of hazardous reactions

Risk of explosion with:

Oxidizing agents, perchloric acid, perchlorates, salts of oxyhalogenic acids, chromium(VI) oxide, halogen oxides, nitrogen oxides, nonmetallic oxides, chromosulfuric acid, chlorates, hydrides, zinc diethyl, halogens, powdered magnesium, hydrogen peroxide, Nitric acid, sulfuric acid, permanganic acid, sodium hypochlorite

Exothermic reaction with:

acid halides, Acid anhydrides, Reducing agents, acids, Bromine, Chlorine, Chloroform, magnesium, tetrachloromethane, CYANURIC CHLORIDE

Risk of ignition or formation of inflammable gases or vapors with:

Fluorine, Oxides of phosphorus, Raney-nickel

Generates dangerous gases or fumes in contact with:

Alkaline earth metals, Alkali metals

#### **Conditions to avoid**

Warming.



according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number MX0486 Version 1.4

Product name Methanol LC-MS Grade For Liquid Chromatography-<br/>br/>Mass Spectrometry

OmniSolv®

## **Incompatible materials**

various plastics, magnesium, zinc alloys

## **Hazardous decomposition products**

no information available

# **SECTION 11. Toxicological information**

# Information on toxicological effects

Likely route of exposure
Inhalation, Eye contact, Skin contact

Target Organs

Eyes Skin

Respiratory system
Central nervous system
qastrointestinal tract

Acute oral toxicity

LDLO human: 143 mg/kg (RTECS)

Acute toxicity estimate: 100.1 mg/kg

Expert judgment

Symptoms: Nausea, Vomiting

Acute inhalation toxicity

LC50 Rat: 131.25 mg/l; 4 h; vapor

(ECHA)

Symptoms: Irritation symptoms in the respiratory tract.

Acute dermal toxicity

LD50 Rabbit: ca. 17,100 mg/kg

(External MSDS)

Acute toxicity estimate: 300.1 mg/kg

Expert judgment



according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number MX0486 Version 1.4

Product name Methanol LC-MS Grade For Liquid Chromatography-<br/>br/>Mass Spectrometry

OmniSolv®

Skin irritation

Rabbit

Result: No skin irritation

(ECHA)

Drying-out effect resulting in rough and chapped skin.

Eye irritation

Rabbit

Result: No eye irritation

(ECHA)

Possible damages: Irritations of mucous membranes

Sensitization

Sensitization test: Guinea pig

Result: negative

Method: OECD Test Guideline 406

Repeated dose toxicity Subacute toxicity Genotoxicity in vivo

Micronucleus test

Mouse

Result: negative

Method: OECD Test Guideline 474

Genotoxicity in vitro

Ames test

Salmonella typhimurium

Result: negative

Method: OECD Test Guideline 471

In vitro mammalian cell gene mutation test

Chinese hamster lung cells

Result: negative

Method: OECD Test Guideline 476

Specific target organ systemic toxicity - single exposure

Causes damage to organs.

Target Organs: Eyes

Specific target organ systemic toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated

exposure.

Aspiration hazard

Regarding the available data the classification criteria are not fulfilled.

Millipore Sigma

Page 11 of 17

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number MX0486 Version 1.4

Product name Methanol LC-MS Grade For Liquid Chromatography-<br/>br/>Mass Spectrometry

OmniSolv®

Carcinogenicity

IARC No ingredient of this product present at levels greater

than or equal to 0.1% is identified as probable, possible

or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater

than or equal to 0.1% is on OSHA's list of regulated

carcinogens.

NTP No ingredient of this product present at levels greater

than or equal to 0.1% is identified as a known or

anticipated carcinogen by NTP.

ACGIH No ingredient of this product present at levels greater

than or equal to 0.1% is identified as a carcinogen or

potential carcinogen by ACGIH.

#### **Further information**

Systemic effects:

acidosis, drop in blood pressure, agitation, spasms, inebriation, Dizziness, Drowsiness, Headache, Impairment of vision, blindness, narcosis, Coma Symptoms may be delayed.

Damage to:

Liver, Kidney, Cardiac, Irreversible damage of the optical nerve.

Other dangerous properties can not be excluded.

This substance should be handled with particular care.

## **SECTION 12. Ecological information**

## **Ecotoxicity**

Toxicity to fish

flow-through test LC50 Lepomis macrochirus (Bluegill sunfish): 15,400 mg/l; 96 h US-EPA

Toxicity to daphnia and other aquatic invertebrates

static test EC50 Daphnia magna (Water flea): > 10,000 mg/l; 48 h

DIN 38412

Toxicity to algae

static test EC50 Pseudokirchneriella subcapitata (green algae): ca. 22,000 mg/l; 96

h

OECD Test Guideline 201

Toxicity to bacteria

static test IC50 activated sludge: > 1,000 mg/l; 3 h

Analytical monitoring: yes OECD Test Guideline 209



according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number MX0486 Version 1.4

Product name Methanol LC-MS Grade For Liquid Chromatography-<br/>br/>Mass Spectrometry

OmniSolv®

Toxicity to fish (Chronic toxicity)
NOEC Oryzias latipes (Orange-red killifish): 7,900 mg/l; 200 h
(External MSDS)

# Persistence and degradability

Biodegradability 99 %; 30 d OECD Test Guideline 301D Readily biodegradable. Biochemical Oxygen Demand (BOD) 600 - 1,120 mg/g (5d)(IUCLID) Chemical Oxygen Demand (COD) 1,420 mg/g (IUCLID) Theoretical oxygen demand (ThOD) 1,500 mg/g (Lit.) Ratio BOD/ThBOD BOD5 76 %

# **Bioaccumulative potential**

Closed Bottle test

Partition coefficient: n-octanol/water log Pow: -0.77 (experimental) (Lit.) Bioaccumulation is not expected.

#### Mobility in soil

No information available.

## Other adverse effects

Surface tension 22.6 mN/m at 68 °F(20 °C)

Stability in water

2.2 yr

reaction with hydroxyl radicals (IUCLID)



according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number MX0486 Version 1.4

Product name Methanol LC-MS Grade For Liquid Chromatography-<br/>br/>Mass Spectrometry

OmniSolv®

## **SECTION 13. Disposal considerations**

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

# **SECTION 14. Transport information**

Land transport (DOT)

UN 1230
Proper shipping name METHANOL

Class 3
Packing group II
Environmentally ---

hazardous

Air transport (IATA)

UN number
UN 1230
Proper shipping name
METHANOL
Class
3 (6.1)
Packing group
II
Environmentally
--

hazardous

Special precautions for no

user

Sea transport (IMDG)

UN number UN 1230
Proper shipping name METHANOL
Class 3 (6.1)
Packing group II
Environmentally --

hazardous

**Special precautions for** yes

user

EmS F-E S-D

Millipore Sigma

Page 14 of 17

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number MX0486 Version 1.4

Product name Methanol LC-MS Grade For Liquid Chromatography-<br/>br/>Mass Spectrometry

OmniSolv®

## **SECTION 15. Regulatory information**

#### **United States of America**

#### **SARA 313**

The following components are subject to reporting levels established by SARA Title III, Section 313:

Components

methanol 67-56-1 100 %

#### **SARA 302**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### **Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

#### **DEA List I**

Not listed

#### **DEA List II**

Not listed

## **US State Regulations**

## **Massachusetts Right To Know**

Components

methanol

# Pennsylvania Right To Know

Components

methanol

## **New Jersey Right To Know**

Components

methanol

#### **California Prop 65 Components**

WARNING: This product contains a chemical known in the State of California to cause birth defects or other reproductive harm.

Components methanol

#### **Notification status**

TSCA: All components of the product are listed in the TSCA-

inventory.

DSL: All components of this product are on the Canadian DSL

Millipore Sigma

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number MX0486 Version 1.4

Product name Methanol LC-MS Grade For Liquid Chromatography-<br/>br/>Mass Spectrometry

OmniSolv®

#### **SECTION 16. Other information**

## **Training advice**

Provide adequate information, instruction and training for operators.

#### Labeling

Hazard pictograms







# Signal Word Danger

# Hazard Statements

H225 Highly flammable liquid and vapor.

H301 + H311 + H331 Toxic if swallowed, in contact with skin or if inhaled.

H370 Causes damage to organs (Eyes).

#### Precautionary Statements

Prevention

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P240 Ground/bond container and receiving equipment.

P280 Wear protective gloves/ protective clothing.

Response

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/physician.

Storage

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.



according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number MX0486 Version 1.4

Product name Methanol LC-MS Grade For Liquid Chromatography-<br/>br/>Mass Spectrometry

OmniSolv®

#### Full text of H-Statements referred to under sections 2 and 3.

H225	Highly flammable liquid and vapor.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H331	Toxic if inhaled.

H370 Causes damage to organs.

# Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

## Revision Date05/22/2019

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.

