SIGMA-ALDRICH

sigma-aldrich.com

SAFETY DATA SHEET

Version 5.11 Revision Date 12/17/2016 Print Date 01/23/2017

1. PF	1. PRODUCT AND COMPANY IDENTIFICATION					
1.1	Product identifiers Product name	:	Bradford Reagent			
	Product Number Brand	:	B6916 Sigma			
1.2	1.2 Relevant identified uses of the substance or mixture and uses advised against					
	Identified uses	:	Laboratory chemicals, Synthesis of substances			
1.3	Details of the supplier of th	e	safety data sheet			
	Company	:	Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103 USA			
	Telephone	:	+1 800-325-5832			

+1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

÷

2. HAZARDS IDENTIFICATION

Fax

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Corrosive to metals (Category 1), H290 Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318 Specific target organ toxicity - single exposure (Category 1), H370

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word	Danger
Hazard statement(s) H290 H314 H370	May be corrosive to metals. Causes severe skin burns and eye damage. Causes damage to organs.
Precautionary statement(s) P234 P260 P264 P270 P280	Keep only in original container. Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353	IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P321	Specific treatment (see supplemental first aid instructions on this label).
P363	Wash contaminated clothing before reuse.
P390	Absorb spillage to prevent material damage.
P405	Store locked up.
P406	Store in corrosive resistant stainless steel container with a resistant inner liner.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Synonyms

: Coomassie[™] dye binding protein assay, Protein dye reagent

Hazardous components

Component		Classification	Concentration		
Phosphoric acid					
CAS-No. EC-No.	7664-38-2	Met. Corr. 1; Skin Corr. 1B;	>= 10 - < 20 %		
Index-No.	231-633-2 015-011-00-6	Eye Dam. 1; H290, H314, H318			
Mathemal					
Methanol			-		
CAS-No.	67-56-1	Flam. Liq. 2; Acute Tox. 3;	>= 1 - < 5 %		
EC-No.	200-659-6	STOT SE 1; H225, H301 +			
Index-No.	603-001-00-X	H311 + H331, H370			
Registration number	01-2119433307-44-XXXX				

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture No data available

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information No data available

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

- 6.3 Methods and materials for containment and cleaning up Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.
- 6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage temperature 2 - 8 °C

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control	Basis
			parameters	
Phosphoric acid	7664-38-2	TWA	1.000000	USA. ACGIH Threshold Limit Values
			mg/m3	(TLV)
	Remarks	Upper Respiratory Tract irritation		
		Eye irritation		
		Skin irritation		
		TWA	1 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
		Upper Respiratory Tract irritation		
		Eye irritation	1	

		Skin irritati	on			
		STEL	3.000000	USA. ACGIH Threshold Limit Values		
			mg/m3	(TLV)		
		Upper Res Eye irritatio	piratory Tract irrita	tion		
		Skin irritatio				
		STEL	3 mg/m3	USA. ACGIH Threshold Limit Values (TLV)		
		Upper Res	piratory Tract irrita			
		Eye irritatio Skin irritatio	on .			
		TWA	1.000000 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants		
		TWA	1.000000 mg/m3	USA. NIOSH Recommended Exposure Limits		
		ST	3.000000 mg/m3	USA. NIOSH Recommended Exposure Limits		
		PEL	1 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)		
		STEL	3 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)		
Methanol	67-56-1	TWA	200.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)		
		Dizziness Eye damage Substances for which there is a Biological Exposure Index or Ir (see BEI® section)				
		Danger of	cutaneous absorpt	ion		
		STEL	250.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)		
		STEL Headache Nausea Dizziness Eye damag Substance (see BEI®	250.000000 ppm ge s for which there is section)	USA. ACGIH Threshold Limit Values (TLV)		
		STEL Headache Nausea Dizziness Eye damag Substance (see BEI®	250.000000 ppm ge s for which there is	USA. ACGIH Threshold Limit Values (TLV)		
		STEL Headache Nausea Dizziness Eye damag Substance (see BEI® Danger of TWA	ge s for which there is section) cutaneous absorpt 200.000000 ppm 260.000000	USA. ACGIH Threshold Limit Values (TLV) s a Biological Exposure Index or Indices ion USA. NIOSH Recommended Exposure Limits		
		STEL Headache Nausea Dizziness Eye damag Substance (see BEI® Danger of TWA	250.000000 ppm s for which there is section) cutaneous absorpt 200.000000 ppm 260.000000 mg/m3 or dermal absorptic 250.000000 ppm 325.000000	USA. ACGIH Threshold Limit Values (TLV) s a Biological Exposure Index or Indices ion USA. NIOSH Recommended Exposure Limits		
		STEL Headache Nausea Dizziness Eye damag Substance (see BEI® Danger of TWA Potential fo	250.000000 ppm s for which there is section) cutaneous absorpt 200.000000 ppm 260.000000 mg/m3 or dermal absorptic 250.000000 ppm	USA. ACGIH Threshold Limit Values (TLV) a Biological Exposure Index or Indices ion USA. NIOSH Recommended Exposure Limits on USA. NIOSH Recommended Exposure Limits		
		STEL Headache Nausea Dizziness Eye damag Substance (see BEI® Danger of TWA Potential fo	ge s for which there is section) cutaneous absorpt 200.000000 ppm 260.000000 mg/m3 or dermal absorptic 250.000000 ppm 325.000000 mg/m3	USA. ACGIH Threshold Limit Values (TLV) a Biological Exposure Index or Indices ion USA. NIOSH Recommended Exposure Limits on USA. NIOSH Recommended Exposure Limits		

TWA	200 ppm	USA. ACGIH Threshold Limit Values (TLV)
(see BEI® s	for which there is a	a Biological Exposure Index or Indices
STEL	250 ppm	USA. ACGIH Threshold Limit Values (TLV)
(see BEI® s	for which there is a	a Biological Exposure Index or Indices
TWĂ	200 ppm 260 mg/m3	USA. NIOSH Recommended Exposure Limits
Potential for	dermal absorption	l .
ST	250 ppm 325 mg/m3	USA. NIOSH Recommended Exposure Limits
Potential for	dermal absorption	1
TWA	200 ppm 260 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
The value in	mg/m3 is approxir	mate.
STEL	250 ppm 325 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
Skin notatio	1	
TWA	200 ppm 260 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
Skin notatio	1	
С	1,000 ppm	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
Skin		· · · ·
PEL	200 ppm 260 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
Skin		
STEL	250 ppm 325 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
Skin		

Biological occupational exposure limits

Component	CAS-No.	Parameters	Value	Biological specimen	Basis	
Methanol	67-56-1	Methanol	15.0000 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)	
	Remarks	End of shift (End of shift (As soon as possible after exposure cea		osure ceases)	
		Methanol	15 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)	
		End of shift (As soon as possible after exposure ceases)				

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid, clear
b)	Odour	No data available
c)	Odour Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	No data available
f)	Initial boiling point and boiling range	No data available
g)	Flash point	No data available
h)	Evaporation rate	No data available

i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapour pressure	No data available
I)	Vapour density	No data available
m)	Relative density	1.066 g/cm3 at 20 °C (68 °F)
n)	Water solubility	No data available
o)	Partition coefficient: n- octanol/water	No data available
p)	Auto-ignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available
Oth	ner safety information	

10. STABILITY AND REACTIVITY

No data available

10.1 Reactivity No data available

9.2

- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions** No data available
- **10.4 Conditions to avoid** No data available
- 10.5 Incompatible materials Strong bases, Powdered metals

10.6 Hazardous decomposition products Hazardous decomposition products formed under fire conditions. - Thermal decomposition may produce toxic fumes of phosphorus oxides and/or phosphine Hazardous decomposition products formed under fire conditions. - Carbon oxides, Oxides of phosphorus In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

No data available

Inhalation: No data available

Dermal: No data available

No data available

Skin corrosion/irritation No data available

Serious eye damage/eye irritation No data available

Sigma - B6916

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available

Additional Information

RTECS: Not available

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence (Phosphoric acid) Stomach - Irregularities - Based on Human Evidence (Methanol)

12. ECOLOGICAL INFORMATION

12.1 Toxicity

No data available

- **12.2 Persistence and degradability** No data available
- **12.3 Bioaccumulative potential** No data available
- 12.4 Mobility in soil No data available
- 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 1805 Class: 8 Packing group: III Proper shipping name: Phosphoric acid solution Reportable Quantity (RQ):

Poison Inhalation Hazard: No

IMDG

UN number: 1805 Class: 8 Packing group: III EMS-No: F-A, S-B Proper shipping name: PHOSPHORIC ACID SOLUTION

IATA

UN number: 1805 Class: 8 Packing group: III Proper shipping name: Phosphoric acid, solution

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels est	tablished by SARA Title I	II, Section 313:
	CAS-No.	Revision Date
Methanol	67-56-1	2007-07-01

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

	CAS-No.	Revision Date
Phosphoric acid	7664-38-2	1993-04-24
Methanol	67-56-1	2007-07-01
Pennsylvania Right To Know Components		
	CAS-No.	Revision Date
Water	7732-18-5	
Phosphoric acid	7664-38-2	1993-04-24
Methanol	67-56-1	2007-07-01
New Jersey Right To Know Components		
	CAS-No.	Revision Date
Water	7732-18-5	
Phosphoric acid	7664-38-2	1993-04-24
Methanol	67-56-1	2007-07-01
California Prop. 65 Components		
WARNING: This product contains a chemical known to the	CAS-No.	Revision Date
State of California to cause birth defects or other reproductive	67-56-1	2012-03-16
harm.		
Mathanal		

Methanol

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox.	Acute toxicity
Eye Dam.	Serious eye damage

Flam. Liq.	Flammable liquids
H225	Highly flammable liquid and vapour.
H290	May be corrosive to metals.
H301 + H311 +	Toxic if swallowed, in contact with skin or if inhaled.
H331	
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H370	Causes damage to organs.
Met. Corr.	Corrosive to metals
Skin Corr.	Skin corrosion
STOT SE	Specific target organ toxicity - single exposure

HMIS Rating

Health hazard:	
Chronic Health Hazard:	*
Flammability:	0
Physical Hazard	0
NFPA Rating	
Health hazard:	3
	-

nould nuzulu.	0
Fire Hazard:	0
Reactivity Hazard:	0

Further information

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.11

Revision Date: 12/17/2016

Print Date: 01/23/2017